

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssptadrc1617

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 FEB 27 New STN AnaVist pricing effective March 1, 2006
NEWS 4 MAY 10 CA/CAPLUS enhanced with 1900-1906 U.S. patent records
NEWS 5 MAY 11 KOREAPAT updates resume
NEWS 6 MAY 19 Derwent World Patents Index to be reloaded and enhanced
NEWS 7 MAY 30 IPC 8 Rolled-up Core codes added to CA/CAPLUS and
USPATFULL/USPAT2
NEWS 8 MAY 30 The F-Term thesaurus is now available in CA/CAPLUS
NEWS 9 JUN 02 The first reclassification of IPC codes now complete in
INPADOC
NEWS 10 JUN 26 TULSA/TULSA2 reloaded and enhanced with new search and
and display fields
NEWS 11 JUN 28 Price changes in full-text patent databases EPFULL and PCTFULL
NEWS 12 JUL 11 CHEMSAFE reloaded and enhanced
NEWS 13 JUL 14 FSTA enhanced with Japanese patents
NEWS 14 JUL 19 Coverage of Research Disclosure reinstated in DWPI
NEWS 15 AUG 09 INSPEC enhanced with 1898-1968 archive
NEWS 16 AUG 28 ADISCTI Reloaded and Enhanced
NEWS 17 AUG 30 CA(SM)/CAPLUS(SM) Austrian patent law changes

NEWS EXPRESS JUNE 30 CURRENT WINDOWS VERSION IS V8.01b, CURRENT
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 26 JUNE 2006.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8
NEWS X25 X.25 communication option no longer available

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 08:50:24 ON 06 SEP 2006

=> file caplus medline biosis embase kosmet
COST IN U.S. DOLLARS

FULL ESTIMATED COST

SINCE FILE	TOTAL
ENTRY	SESSION
0.21	0.21

FILE 'CAPLUS' ENTERED AT 08:50:50 ON 06 SEP 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'MEDLINE' ENTERED AT 08:50:50 ON 06 SEP 2006

FILE 'BIOSIS' ENTERED AT 08:50:50 ON 06 SEP 2006
Copyright (c) 2006 The Thomson Corporation

FILE 'EMBASE' ENTERED AT 08:50:50 ON 06 SEP 2006
Copyright (c) 2006 Elsevier B.V. All rights reserved.

FILE 'KOSMET' ENTERED AT 08:50:50 ON 06 SEP 2006
COPYRIGHT (C) 2006 International Federation of the Societies of Cosmetics Chemists

=> s anhydrous(w)antiperspirant or anydrous(w)deodorant
L1 93 ANHYDROUS(W) ANTIPERSPIRANT OR ANYDROUS(W) DEODORANT

=> s skin-adhering(w)polymer
L2 2 SKIN-ADHERING(W) POLYMER

=> s l1 and l2
L3 0 L1 AND L2

=> s acrylate(w)monomer? or methacrylate(w)monomer?
L4 6888 ACRYLATE(W) MONOMER? OR METHACRYLATE(W) MONOMER?

=> s silicone-acrylate(w)copolymer? or silicone-urethane(w)copolymer? or
silicone-maleic(w)anhydride(w)copolymer? or silicone(w)resin(w)copolymer?
L5 78 SILICONE-ACRYLATE(W) COPOLYMER? OR SILICONE-URETHANE(W) COPOLYME
R? OR SILICONE-MALEIC(W) ANHYDRIDE(W) COPOLYMER? OR SILICONE(W)
RESIN(W) COPOLYMER?

=> s l1 and l4 and l5
L6 0 L1 AND L4 AND L5

=> s glass(w)transition(w)temperature
L7 68622 GLASS(W) TRANSITION(W) TEMPERATURE

=> s l1 and l7
L8 0 L1 AND L7

=> d his

(FILE 'HOME' ENTERED AT 08:50:24 ON 06 SEP 2006)

FILE 'CAPLUS, MEDLINE, BIOSIS, EMBASE, KOSMET' ENTERED AT 08:50:50 ON 06
SEP 2006

L1 93 S ANHYDROUS(W) ANTIPERSPIRANT OR ANYDROUS(W) DEODORANT
L2 2 S SKIN-ADHERING(W) POLYMER
L3 0 S L1 AND L2
L4 6888 S ACRYLATE(W) MONOMER? OR METHACRYLATE(W) MONOMER?
L5 78 S SILICONE-ACRYLATE(W) COPOLYMER? OR SILICONE-URETHANE(W) COPOLYM
L6 0 S L1 AND L4 AND L5
L7 68622 S GLASS(W) TRANSITION(W) TEMPERATURE
L8 0 S L1 AND L7

=>